

Lexus Personalized Settings


Your vehicle includes a variety of electronic features that can be programmed to your preferences. Programming of these features is performed once at no charge by your Lexus Dealer provided you obtain the service at the 6 month/5,000-mile scheduled maintenance service.




IS 250/350

It is also possible to customize certain vehicle features yourself using the navigation system.


Vehicles with Navigation system:




STEP 1 Press the **MENU** button.




STEP 2 Select **Setup** using the Remote Touch unit and push knob to select.



STEP 3 Scroll to page 2.
Select **Vehicle** and push knob to select.



STEP 4 Select **Vehicle Customization** and push knob to select.






























STEP 5 Select category and scroll to specific customization setting.













Vehicle must be in "ON" mode to program personalized settings.










After changing the settings, select **Save**.







Please refer to the 2015 IS 250/350 Quick Guide, or Navigation Owner's Manual for more information on Remote Touch operations.

Settings that can be customized by:	
Using the navigation system	Dealer
Door Lock Settings 1. Automatic Door Lock The automatic door locks can be programmed for the following: <ul style="list-style-type: none"> <input type="checkbox"/> The doors automatically lock when the vehicle is taken out of park and placed into another range. (Standard) = By shift from P <input type="checkbox"/> The doors automatically lock when the vehicle speed is 12 mph or higher. = By speed <input type="checkbox"/> The doors, if unlocked, will not automatically lock. = Off 	
2. Automatic Door Unlock The automatic door locks can be programmed for the following: <ul style="list-style-type: none"> <input type="checkbox"/> The doors automatically unlock when the vehicle is placed into park. (Standard) = By shift to P <input type="checkbox"/> All the doors automatically unlock when the driver door is opened. = By driver door <input type="checkbox"/> The doors, if locked, will not automatically unlock. = Off 	
3. Remote 2-Press Unlock When using the electronic key to unlock the doors: <ul style="list-style-type: none"> <input type="checkbox"/> Pressing the unlock button one time will unlock all doors. = Off <input type="checkbox"/> Pressing the unlock button one time unlocks the driver door, and two times unlocks all doors. (Standard) = On 	
4. Select doors to Unlock When using Smart Access to unlock the doors: <ul style="list-style-type: none"> <input type="checkbox"/> Gripping the driver door handle will unlock the driver door. (Standard) = Driver's door <input type="checkbox"/> Gripping the driver door handle will unlock all doors. = All doors 	

Door Lock Settings (cont'd)	Using the navigation system	Dealer
5. Auto Relock Timer When the doors are unlocked and not opened: <ul style="list-style-type: none"> <input type="checkbox"/> They will not automatically re-lock. <input type="checkbox"/> They will automatically re-lock in 30 seconds. <input type="checkbox"/> They will automatically re-lock in 60 seconds. (Standard) <input type="checkbox"/> They will automatically re-lock in 120 seconds. 		
6. Lock/Unlock Feedback - Lights Using the electronic key, the following functions can be programmed: <ul style="list-style-type: none"> <input type="checkbox"/> Press the lock/unlock button and the emergency flashers will not flash. = Off <input type="checkbox"/> Press the lock/unlock button and the emergency flashers will flash. (Standard) = On 		
7. Lock/Unlock Feedback-Tone When the lock button is pressed on the electronic key, the system volume can be programmed as follows: <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 10px;"> <div style="text-align: center;">  off </div> <div style="text-align: center;">  volume 1 </div> <div style="text-align: center;">  volume 2 </div> <div style="text-align: center;">  volume 3 </div> <div style="text-align: center;">  volume 4 </div> <div style="text-align: center;">  volume 5 (standard) </div> <div style="text-align: center;">  volume 6 </div> <div style="text-align: center;">  volume 7 </div> </div>		
Climate Settings 8. Seat Heater Setting* When seat heater timer control is selected: <ul style="list-style-type: none"> <input type="checkbox"/> The seat heater intensity differs depending on the temperature inside the cabin, when seat heater is operating. (Standard) = Timer <input type="checkbox"/> The seat heater intensity will not automatically adjust to temperature. = Manual * If equipped.		
9. Auto A/C Mode When Auto A/C is selected: <ul style="list-style-type: none"> <input type="checkbox"/> It will automatically engage the air conditioner compressor to reach the set temperature. (Standard) = On <input type="checkbox"/> It will automatically achieve a set temperature, warm or cool, without engaging the air conditioner compressor.* = Off * Note: The AC compressor will be engaged when the auto AC button is pressed a second time.		
Light Settings 10. Headlamps-ON Sensitivity When driving the vehicle, the front headlights can be programmed to turn ON under darker or lighter ambient light conditions. (Headlight switch must be in "AUTO" mode): <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 10px;"> <div style="text-align: center;">  very dark </div> <div style="text-align: center;">  dark </div> <div style="text-align: center;">  normal (standard) </div> <div style="text-align: center;">  light </div> <div style="text-align: center;">  very light </div> </div>		
11. Headlamps Auto-OFF timer After turning off the ignition and all the doors are closed, if the headlights are in the AUTO position: <ul style="list-style-type: none"> <input type="checkbox"/> The headlights will turn off immediately, when the vehicle is turned off and the driver door is opened. <input type="checkbox"/> The headlights will turn off in 30 seconds. (Standard) <input type="checkbox"/> The headlights will turn off in 60 seconds. <input type="checkbox"/> The headlights will turn off in 90 seconds. 		

Settings that can be customized by:		
Light Settings (cont'd)	Using the navigation system	Dealer
12. Daytime Running Lights Illumination of daytime running lights: <input type="checkbox"/> OFF. <input type="checkbox"/> ON. (Standard)		
13. Interior Lights Off Timer After closing the door, the interior lights can be adjusted to stay on for the following: <input type="checkbox"/> 15 seconds. (Standard) <input type="checkbox"/> 7.5 seconds. <input type="checkbox"/> 30 seconds. <input type="checkbox"/> 0 seconds.		
14. Exterior Lights Off Timer After closing the door, the exterior lights can be adjusted to stay on for the following: <input type="checkbox"/> 15 seconds. (Standard) <input type="checkbox"/> 7.5 seconds. <input type="checkbox"/> 30 seconds. <input type="checkbox"/> 0 seconds.		
Other Vehicle Settings 15. Driver's Seat Easy Exit* When the vehicle is placed in park, the ignition turned off, the driver seat can be set to the following: <input type="checkbox"/> Remain in the current position, as set by the driver. = Off <input type="checkbox"/> Automatically move away from the steering wheel partially. = Partial <input type="checkbox"/> Automatically move away from the steering wheel fully. = Full (Standard) * If equipped		
Programmable by Dealer Only 16. Linking Seat Position Memory With Door Unlock* When using Smart Access to unlock the doors, seat position memory recall can be programmed as follows: <input type="checkbox"/> The driver seat will move to memory position when the driver door is unlocked. (Standard) <input type="checkbox"/> The driver seat will move to memory position when any door is unlocked. * If equipped	<hr/>	 Dealer only
17. Unlock on Second Key Turn When using the mechanical key to unlock the doors: <input type="checkbox"/> Turning the key one time will unlock all doors. = Off <input type="checkbox"/> Turning the key one time unlocks the driver door, and two times unlocks all doors. (Standard) = On	<hr/>	 Dealer only
18. Door lock buzzer When the lock button on the electronic key is pressed and a door is not fully closed: <input type="checkbox"/> The buzzer will not sound. = Off <input type="checkbox"/> The buzzer will sound. (Standard) = On	<hr/>	 Dealer only
19. Access System with Elec. Key When unlocking the doors: <input type="checkbox"/> Deactivates Smart Access, only accessible using elec. key unlock button. = Off <input type="checkbox"/> Use Smart Access (touch door handle) or remote buttons. (Standard)= On	<hr/>	 Dealer only

Programmable by Dealer Only (cont'd)	Settings that can be customized by:	
	Using the navigation system	Dealer
20. Panic Mode When pressing the panic button on the electronic key: <input type="checkbox"/> The alarm will sound intermittently and the vehicle lights will flash. (Standard) = On <input type="checkbox"/> The alarm will not sound and the vehicle lights will not flash. = Off	_____	 Dealer only
21. Open Windows and Moonroof with Mechanical Key* When using the mechanical key to operate windows and moonroof: <input type="checkbox"/> Turning the key left and holding the position for 2 seconds will not open the windows and moonroof. (Standard) <input type="checkbox"/> Turning the key left and holding the position for 2 seconds will open the windows and moonroof. * If equipped	_____	 Dealer only
22. Close Windows and Moonroof with Mechanical Key* When using the mechanical key to operate windows and moonroof: <input type="checkbox"/> Turning the key right and holding the position for 2 seconds will not close the windows and moonroof. (Standard) <input type="checkbox"/> Turning the key right and holding the position for 2 seconds will close the windows and moonroof. * If equipped	_____	 Dealer only
23. Slide/Tilt Moonroof using Mechanical Key* When option #21 is on, the moonroof can be programmed for the following: <input type="checkbox"/> Slide. (Standard) <input type="checkbox"/> Tilt. * If equipped	_____	 Dealer only
24. Open Windows and Moonroof with Elec. Key* When pressing the unlock button on the electronic key for 3 seconds: <input type="checkbox"/> The windows and moonroof will not open. (Standard) = Off <input type="checkbox"/> All the windows and moonroof will open. = On * If equipped	_____	 Dealer only
25. Slide/Tilt Moonroof with Elec. Key* When option #24 is on, the moonroof can be programmed for the following: <input type="checkbox"/> Slide. (Standard) <input type="checkbox"/> Tilt. * If equipped	_____	 Dealer only
26. Interior Light The interior light will illuminate when POWER is switched to OFF. <input type="checkbox"/> On. (Standard) = On <input type="checkbox"/> Off. = Off	_____	 Dealer only
27. Illumination of the Interior Cabin Light when Unlocking Door When using the electronic key or mechanical key to unlock the door, the interior cabin light can be programmed for the following: <input type="checkbox"/> The cabin light will illuminate. (Standard) = On <input type="checkbox"/> The cabin light will not illuminate. = Off	_____	 Dealer only
28. Illumination of the Interior Cabin Light when Approaching the Vehicle When approaching the vehicle with the electronic key, the interior cabin light can be programmed for the following: <input type="checkbox"/> The cabin light will illuminate. (Standard) = On <input type="checkbox"/> The cabin light will not illuminate. = Off	_____	 Dealer only

		Settings that can be customized by:	
<u>Programmable by Dealer Only (cont'd)</u>		Using the navigation system	Dealer
29. Illumination of the Outer Foot Lights when Approaching the Vehicle When approaching the vehicle with the electronic key, the outer foot lights can be programmed for the following: <input type="checkbox"/> The outer foot lights will illuminate. (Standard) <input type="checkbox"/> The outer foot lights will not illuminate.		_____	 Dealer only
30. Illumination of the Outer Foot Lights when Unlocking the Door When using the electronic key to unlock the door, the outer foot lights can be programmed for the following: <input type="checkbox"/> The foot lights will illuminate. (Standard) <input type="checkbox"/> The foot lights will not illuminate.		_____	 Dealer only
31. Speed Linked Driver Seat Belt Reminder When the vehicle reaches 13 mph: <input type="checkbox"/> The driver seat belt buzzer will sound. (Standard) <input type="checkbox"/> The driver seat belt buzzer will not sound.		_____	 Dealer only
32. Speed Linked Passenger Seat Belt Reminder When the vehicle reaches 13 mph: <input type="checkbox"/> The passenger seat belt buzzer will sound. (Standard) <input type="checkbox"/> The passenger seat belt buzzer will not sound.		_____	 Dealer only
33. Opening the Trunk By pressing on the trunk release button, located on the electronic key, the trunk will open. The release button can be programmed as follows: <input type="checkbox"/> Press button one time to release the trunk. (No delay) <input type="checkbox"/> Press button two times to release the trunk. <input type="checkbox"/> Press and hold button for 0.8 seconds to release the trunk. (Standard) <input type="checkbox"/> Press and hold button for 2 seconds to release the trunk. <input type="checkbox"/> The button can be turned off so the trunk cannot be opened using the electronic key.		_____	 Dealer only
34. Lane change flasher volume When the turn signal level is flashing, the volume can be programmed: <input type="checkbox"/> Medium (Standard) <input type="checkbox"/> Soft <input type="checkbox"/> Loud		_____	 Dealer only

Date _____ Customer Signature _____

Repair Order Number (Dealer only)

Vehicle Identification Number (Dealer only)