

IS F

OUTLINE OF NEW FEATURES

The following changes have been made for the 2012 model year.

1. Exterior Color



A total of 7 exterior colors; 6 carryover colors and 1 new color, are available for standard models.



Color No.	Color Name	Note
077	White Pearl Crystal Shine	Carryover
1F2	Premium Silver	Carryover
1H9	Mercury Gray Mica	New
212	Black	Carryover
217	Starlight Black Glass Flake	Carryover
3R1	Red Mica Crystal Shine	Carryover
8U1	Exceed Blue Metallic	Carryover

2. Tire and Wheel

A new wheel design has been added.

: Added

Tire Size	Front		225/40 R19	225/40 R19
	Rear		255/35 R19	255/35 R19
Wheel	Size	Front	19 × 8J	19 × 8 1/2J
		Rear	19 × 9J	19 × 9 1/2J
	Material		Aluminum	Aluminum
	Color (Color No.)		Dark Silver Metallic (11GY39)	Dark Silver Metallic (11GY39)
P.C.D.*	mm (in.)		114.3 (4.5)	114.3 (4.5)
Inset	mm (in.)	Front	45 (1.8)	45 (1.8)
		Rear	55 (2.2)	51 (2.0)
Wheel Design				
			13V0NF14C	18Y0IN01C
Equipment			Standard	Option

Tire Size	Front		225/40 R19	
	Rear		255/35 R19	
Wheel	Size	Front	19 × 8J	
		Rear	19 × 9J	
	Material		Aluminum	
	Color (Color No.)		Dark Silver Metallic (11GY39)	Silver (11GY38)/Buffed Finish
P.C.D.*	mm (in.)		114.3 (4.5)	
Inset	mm (in.)	Front	45 (1.8)	
		Rear	55 (2.2)	
Wheel Design			Left Side: 	Right Side: 
			13V0NF12C	13V0NF13C
Equipment			Option	


*: P.C.D. (Pitch Circle Diameter)

3. Interior

- The interior color has been added. For details, see page 8.
- The head restraints for the outer rear seats have been changed to a foldable type.

4. Audio


Bluetooth audio and Bluetooth hands-free systems have been added on models without the navigation system.

Unit Design*	Specifications
 <p style="text-align: right; font-size: small;">13U0NF28C</p>	<p>LEXUS Premium Sound System</p> <ul style="list-style-type: none"> • AM/FM Tuner • 6-CD Changer. Compatible with MP3 and Windows Media Audio (WMA) files • Bluetooth Audio • Bluetooth Hands-free System • USB Memory Interface • iPod Interface • Stereo Jack Adapter • Unit: Pioneer • 13-speaker: Pioneer

*: Destination packages for Guam and Puerto Rico

5. Electronic Control System for Automatic Transmission

- The location of the SNOW mode switch has been changed.



6. Suspension

- The spring constant of each front and rear suspension spring has been changed to ensure responses while steering.
- The front and rear shock absorbers have been changed to ensure responses while steering and road holding ability. For details, see page 9.
- The shape of the rear spring bumper has been changed to ensure driving comfort. For details, see page 9.
- Due to the changes above, the wheel alignments have been changed as follows:


Front Suspension Type			Double-wishbone
Front Wheel Alignment	Tread*1	mm (in.)	1560 (61.4)
	Caster*1	degrees	8.7°
	Camber*1	degrees	- 0.87°
	Toe-in*1	mm (in.)	0.18 (0.007)
	King Pin Inclination*1		11.18°
Rear Suspension Type			Multi-link
Rear Wheel Alignment	Tread*1	mm (in.)	1520 (59.8), 1530 (60.2)*2
	Camber*1	degrees	- 1.5°
	Toe-in*1	mm (in.)	3.0 (0.12)

*1: Unloaded Vehicle Condition

*2: Models with 19 × 9 1/2J Wheels

7. Brake

- The location of the VSC OFF switch has been changed.



- The fail-safe function operated when a malfunction is detected in communication between the skid control ECU assembly and ECM or detected in engine control has been changed as follows:

Function	2012 Models	Previous Models
Fail-safe	Skid control ECU assembly stops TRAC and Hill-start Assist Control.	Skid control ECU assembly stops TRAC, VSC and Hill-start Assist Control.


8. Multiplex Communication

The following customizable item for the door lock system has been changed. For details, see page 12.

- All Unlock/Open-Close

9. Lighting

Side turn signal lights are provided on the destination package for South Korea.



Side Turn Signal Light

18Y0IN04C

: Added

	Light	Type	Wattage
Headlight Unit	High Beam	Halogen Bulb	60
	Low/High Beam (Projector Type)	Discharge Bulb	35
	Turn Signal Light	Wedge Base Bulb (Amber)	21
	Parking Light	Wedge Base Bulb (Clear)	5
	Front Side Marker Light	LED (2)	0.3
	Side Turn Signal Light*	Wedge Base Bulb (Amber)	5
	Fog Light	Halogen Bulb	55


*: Destination Package for South Korea

10. Multi Display


A 7.0-inch Liquid Crystal Display (LCD) type multi display without navigation functions has been adopted on models for South Korea. For details, see page 13.

11. Inside Rear View Mirror

- On models with the garage door opener system, an illumination function has been added to the switches on the inside rear view mirror.
- On models with the garage door opener system and without the navigation system, the compass display integrated into the inside rear view mirror has been changed to the following type.



2012 Models




2011 Models

18Y0IN05C

12. Front Wiper Deicer System

The location of the front wiper deicer switch has been changed.



18Y0IN06C