Calibration Procedure With SST

Zero Point Calibration Using SST 09843-18040

The following procedure may be used in the cases where a Diagnostic Tester is not available.

NOTE:

While performing the Zero Point Calibration, do not tilt, move or shake the vehicle. The vehicle must remain in a stationary condition throughout the entire process. Be sure to perform the procedure on a level surface with an inclination of less than 1%.

- 1. If the vehicle is equipped with A/T, ensure that the shift lever is in the "P" range and the parking brake is applied. If the vehicle is equipped with a M/T, ensure that the parking brake is applied.
- 2. Turn the ignition switch ON.
- 3. Using SST 09843–18040, repeat a cycle of short and open between terminals Ts and CG of DLC3 4 times or more within 8 seconds (refer to the specific vehicle EWD for TS and CG pin location in the DLC3).
- 4. Verify that the VSC indicator light is lit indicating the recorded zero point is erased.
- 5. Turn the ignition switch OFF.
- 6. Be sure the terminals Ts and CG of DLC3 are disconnected.
- 7. Turn the ignition switch ON.
- 8. Check that the VSC warning light goes off about 15 seconds after the ignition switch is turned ON.
- 9. After ensuring that the VSC warning light remains OFF for 2 seconds, turn the ignition switch OFF.
- 10. Connect terminals Ts and CG of DLC3 using SST 09843–18040.
- 11. Turn the ignition switch ON.
- 12. After turning the ignition switch ON, check that the VSC warning light is lit for about 4 seconds and then starts quick blinking at 0.13 second intervals.
- 13. After ensuring the blinking of the VSC warning light for 2 seconds, turn the ignition switch OFF.
- 14. Remove the SST from terminals Ts and CG of DLC3.
- 15. Drive the vehicle for at least 5 minutes to confirm Zero Point Calibration is complete.

NOTE:

If viewing Diagnostic Tester Data List after repair, the Steering Angle Sensor may remain at 1150 until the vehicle reaches 28 mph. This is a normal condition until the learned values of the steering angle have been achieved.