

Summary

2013 RX 450h AWD

Colors



Starfire Pearl



Black Leather Ebony Bird's Eye Maple

Base MSRP

\$47,710

(continued on page 2)



Package Camera Package		\$9,495
Navigation System [1]	 Blind Spot Monitor System 	
• Remote Touch [2] Device	 F SPORT 19-inch split-five-spoke alloy wheels with Superchrome finish and 235/55VR19 all-season tires 	
Voice command	• F SPORT front bumper & lower grille insert	
• LCD display	 Heated and ventilated front seats 	
• Integrated backup camera [3]	 High-Intensity Discharge (HID) headlamps with dynamic auto leveling 	
• Enhanced Bluetooth® technology [4]	Rain-sensing intermittent windshield wipers with mist cycle	
• NavTraffic™ [5] [6]	• Transmission cooler	
• NavWeather [™] [5] [6]	• Lexus 12-speaker Premium Sound System	
• Sports and Stocks [5] [6]	Wood- and leather-trimmed steering wheel and shift knob	
• Lexus Enform® [7] [8]	High-Intensity Discharge (HID) headlamps with dynamic auto leveling	
• Leather-trimmed interior	• Intuitive Parking Assist	
Lexus Memory System	• All-weather cargo mat	
• Power moonroof	• Roof rack - cross bars [9]	
Rear-armrest storage compartment with cover	• Wheel locks	
	- Antiegrocks	
Electrochromic (auto-dimming) outside mirrors		
essories Cargo net - envelope		\$59
Towing equipment tow hitch receiver [10] [11]		\$650
Cross bars, door edge guard & tow hitch w/ball mnt		\$1,02
Remote engine starter+		\$799
Delivery, Processing & Handling fee		\$910
Delivery, Processing & Handling fee		\$910 \$60,64
· · · · · · · · · · · · · · · · · · ·	<u>,</u>	
MSRP Engine	Atkinson cycle 60® V6, aluminum block a	\$60,64
1SRP		\$60,64 and hea
ASRP atures Engine Type	Atkinson cycle 60® V6, aluminum block a	\$60,64 and hea
ASRP etures Engine Type	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub	\$60,64 and hea bic inche iming w
tures Engine Type Displacement	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti	\$60,64 and hea bic inche iming w
MSRP atures Engine Type Displacement Valvetrain	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti	\$60,64 and hea bic inche iming w ee (VVT 12.
tures Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti intelligenc Certified Super Ultra-Low Emission Vehicle (5	\$60,64 and hea bic inche iming w te (VVT 12.9 SULEV
res Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance 0-60 MPH Acceleration	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti intelligenc Certified Super Ultra-Low Emission Vehicle (5 7.4 second	\$60,64 and hea and hea ining w 12. SULEV
RP Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance 0-60 MPH Acceleration 1/4 Mile Acceleration	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti intelligence Certified Super Ultra-Low Emission Vehicle (5) 7.4 second	and hea oic inche iming w ee (VVT 12.5 SULEV)
tures Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance 0-60 MPH Acceleration 1/4 Mile Acceleration Top Track Speed (electronically limited)	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti intelligence Certified Super Ultra-Low Emission Vehicle (1987) 7.4 second 15.6 second	\$60,644 and hea oic inche from 12.5 sulev
Eures Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance 0-60 MPH Acceleration 1/4 Mile Acceleration Top Track Speed (electronically limited) EPA Fuel Economy Ratings(city/highway/combined)	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti intelligence Certified Super Ultra-Low Emission Vehicle (5) 7.4 second	and hea oic inche iming w Elevariant learning w SULEV
Eures Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance 0-60 MPH Acceleration 1/4 Mile Acceleration Top Track Speed (electronically limited) EPA Fuel Economy Ratings(city/highway/combined) Aerodynamic Drag Coefficient	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti intelligence Certified Super Ultra-Low Emission Vehicle (1987) 7.4 second 15.6 second	and hea oic inche iming w e (VVT 12.! 12. 13. 14. 15. 16. 16. 16. 16. 16. 16. 16. 16. 16. 16
tures Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance 0-60 MPH Acceleration 1/4 Mile Acceleration Top Track Speed (electronically limited) EPA Fuel Economy Ratings(city/highway/combined)	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti intelligence Certified Super Ultra-Low Emission Vehicle (1987) 7.4 second 15.6 second	and head bic inche iming with the control of the co
Atures Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance 0-60 MPH Acceleration 1/4 Mile Acceleration Top Track Speed (electronically limited) EPA Fuel Economy Ratings(city/highway/combined) Aerodynamic Drag Coefficient	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti intelligence Certified Super Ultra-Low Emission Vehicle (\$ 7.4 second 15.6 second 112 mpi 30/28/29	and head oic inches to the first the
Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance 0-60 MPH Acceleration 1/4 Mile Acceleration Top Track Speed (electronically limited) EPA Fuel Economy Ratings(city/highway/combined) Aerodynamic Drag Coefficient Turning Circle Drivetrain	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti intelligence Certified Super Ultra-Low Emission Vehicle (\$ 7.4 second 15.6 second 112 mpl 30/28/29	and hear and hear and hear and hear and hear and hear are (VVT 12.5 SULEV and 12.5 [12] [1. h [12] [1.] 0.3 38.8
tures Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance 0-60 MPH Acceleration 1/4 Mile Acceleration Top Track Speed (electronically limited) EPA Fuel Economy Ratings(city/highway/combined) Aerodynamic Drag Coefficient Turning Circle Drivetrain Transmission	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cult Four cam, four valves per cylinder, with Variable Valve Ti intelligence Certified Super Ultra-Low Emission Vehicle (3 7.4 second 15.6 second 112 mpl 30/28/29	and head oic inche see (VVT. 12.5 SULEV SULEV) 3.8 SULEV One of the light of the l
tures Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance 0-60 MPH Acceleration 1/4 Mile Acceleration Top Track Speed (electronically limited) EPA Fuel Economy Ratings(city/highway/combined) Aerodynamic Drag Coefficient Turning Circle Drivetrain	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti intelligence Certified Super Ultra-Low Emission Vehicle (\$ 7.4 second 15.6 second 112 mpl 30/28/29	and head oic inche see (VVT. 12.5 SULEV SULEV) 3.8 SULEV One of the light of the l
SRP Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance O-60 MPH Acceleration 1/4 Mile Acceleration Top Track Speed (electronically limited) EPA Fuel Economy Ratings(city/highway/combined) Aerodynamic Drag Coefficient Turning Circle Drivetrain Transmission	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cub 3.5 liters (211 cub Four cam, four valves per cylinder, with Variable Valve Ti intelligence Certified Super Ultra-Low Emission Vehicle (\$ 7.4 second 15.6 second 112 mpl 30/28/29 Electronically controlled Continuously Variable Transmission with in (ECVT-i) with Sequential Shift and Snot Part-time all-wheel drive (AWD) [15] with rear electric-dri	and head and a superior and
SRP Engine Type Displacement Valvetrain Compression Ratio Emission Rating Performance 0-60 MPH Acceleration 1/4 Mile Acceleration Top Track Speed (electronically limited) EPA Fuel Economy Ratings(city/highway/combined) Aerodynamic Drag Coefficient Turning Circle Drivetrain Transmission Drive Wheels	Atkinson cycle 60® V6, aluminum block a 3.5 liters (211 cult Four cam, four valves per cylinder, with Variable Valve Ti intelligence Certified Super Ultra-Low Emission Vehicle (3 7.4 second 15.6 second 112 mpl 30/28/29	and hear and



Standard Features

Chassis (continued)

Chassis (continued)	
Suspension (rear)	Independent double-wishbone with coil springs, gas-pressurized shock absorbers and stabilizer bar
Steering	Electronic Power Steering (EPS) system
	Four-wheel power-assisted discs with Electronic Controlled Braking (ECB),
	four-sensor, four-channel Anti-lock Braking System (ABS), Electronic
Brakes	Brakeforce Distribution (EBD), Brake Assist [16] and regenerative function
Brake Size	12.9-in ventilated front, 12.2-in solid rear discs
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	18 x 7.5-in five-spoke alloy wheels [17] with 235/60VR18 all-season tires
Wheels and Tires	[17]. Compact spare tire/wheel.
Body/Dimensions	
Туре	Five-passenger hybrid luxury utility vehicle
Construction	Welded-steel unibody
Overall Length	187.8 in (4,770 mm)
Width	74.2 in (1,885 mm)
Height	66.7 in (1,695 mm) (without roof rails) 67.7 in (1,720 mm) (with roof rails)
Wheelbase	107.9 in (2,740mm)
Ground Clearance	6.9 in (175mm)
Approach Angle	28.60
Departure Angle	24.60
Cargo Capacity (behind rear seats) [18]	40.0 cu ft (1,132 L)
Cargo Capacity (max)[18]	80.3 cu ft (2,272 L)
Curb Weight	4,652 lb (2,110 kg)
Tow Capacity (max)	3,500 lb (1,588 kg) (with optional Towing Prep Package) [10] [11]
Fuel-Tank Capacity	17.2 gal (65 L)
Headroom	39.0/37.7 (992/958 mm) (w/o moonroof) (front/rear)
Legroom	43.1/37.1 in (1,095/942 mm) (front/rear)
Shoulder Room Hip Room	57.9/57.5 in (1,473/1,462 mm) (front/rear) 55.5/54.5 in (1,412/1,385 mm) (front/rear)
touch sensors on exterior front-door handles	• •
Dual-zone automatic climate control with interior air filter	•
Power tilt-and-telescopic steering column	•
Power windows with one-touch auto open/close feature	•
Remote-linked opening for windows and available	_
moonroof	<u> </u>
Power rear door	•
Power door locks	•
Multifunction, in-key remote entry system with rolling-code technology [20]	•
Electrochromic (auto-dimming) inside rearview mirror	•
Cruise control	•
Sliding front center console with storage bin, dual power	•
outlets and pass-through storage	•
	_
Front and rear cupholders	•
HomeLink® universal transceiver to operate compatible	•
garage, gate, home lighting and home security systems Lexus Personalized Settings (LPS) [21] to customize select	
LEAUS I EI SONAIIZEU DERRINGS (LF D) [Z1] TO CUSTOMIZE SEIECT	
electronic functions	•
	•
Illuminated entry system	•
Illuminated entry system Accessory power outlet in front center stack, rear console	•
electronic functions Illuminated entry system Accessory power outlet in front center stack, rear console box and rear cargo area	•
Illuminated entry system Accessory power outlet in front center stack, rear console	• • • (continued on page 4



Standard Features

Standard Luxury Features (continued)

Standard Luxury Features (continued)		
Sun visor extensions	•	
Rear bumper protector	•	
Ebony or espresso bird's-eye maple interior accent	•	
Leather-trimmed steering wheel and shift knob	•	
10-way driver's and front passenger's (including lumbar)	_	
power seats	-	
Height-adjustable headrests for all seating positions	•	
Reclining, sliding rear seat (40/20/40-split)	•	
Lexus nine-speaker Premium Sound System with		
Automatic Sound Levelizer (ASL) and in-dash, single-feed,	•	
six-disc CD auto-changer		
Auxiliary iPod® [22]/MP3/Windows Media® Audio	•	
(WMA) port		
Sirius XM Satellite Radio [5] [6] Subscription required. 90-	•	
day trial subscription included		
Bluetooth® technology [4]	•	
Bluetooth® audio [23] profile for wireless integration of		
compatible music players with in-vehicle audio system controls	•	
FM-diversity antenna system	•	
Shark-fin antenna	•	
Steering-wheel-mounted audio and display controls	•	
Electroluminescent instrumentation	•	
Liquid crystal display (LCD) multi-information console	_	
display on upper console	<u> </u>	
Organic Light-Emitting Diode (OLED) multi-information	•	
display in gauge cluster	-	
Outside temperature gauge	•	
Automatic on/off headlamps with auto-off delay	•	
Interior electronic fuel-filler door release	•	
Standard Safety & Security Features		
Vehicle Dynamics Integrated Management (VDIM) [24]		
with cutoff switch	•	
Vehicle Stability Control (VSC) [24] with cutoff switch	•	
Traction Control (TRAC)	•	
Four-wheel power-assisted disc brakes	•	
·	-	
Four-sensor, four-channel Anti-lock Braking System (ABS)	•	
Smart Stop technology [25]	•	
Brake Assist [16]	•	
Electronic Brakeforce Distribution (EBD)	•	
Part-time electronic all-wheel drive (AWD) [15]	•	
Tire Pressure Monitor System [26]	•	
Water-repellent front-door glass	•	
LED daytime running lights	•	
Daytime running lights	-	
	•	
Integrated foglamps	•	
LED taillamps	•	
Variable intermittent front windshield wipers	•	
• Standard • Included in Package	(continued or	n page 5)



Standard Features

Standard Safety & Security Features (continued)

Standard Safety & Security Features (continued)	
Intermittent rear-window wiper with washer	•
Rear-window defogger with auto-off timer	•
Power-adjustable outside mirrors with integrated turn	
indicators and defoggers	•
Driver's and front passenger's advanced airbag system	
(SRS) with front passenger's twin-chamber airbag (SRS)	•
[27]	
Front and rear seat-mounted side airbags (SRS) [27]	•
Driver's and front passenger's knee airbags (SRS) [27]	•
Front and rear Roll-Sensing Curtain Airbags (RSCA)	
(SRS) [27]	•
Active front headrests [28]	•
Three-point seatbelts for all seating positions, pre-	
tensioners with force limiters for all seating positions	•
Automatic Locking Retractor/Emergency Locking	
Retractor (ALR/ELR) seatbelts for all outboard seating	
positions. Emergency Locking Retractor (ELR) only for	•
driver's seat	
Height-adjustable front shoulder belt anchors	•
Child Restraint Seat (CRS) tether anchor brackets for rear	
outboard seating positions	•
	•
outboard seating positions	•
outboard seating positions Highly rigid body structure with front and rear crumple	•
outboard seating positions Highly rigid body structure with front and rear crumple zones	•
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills	•
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams	•
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams Impact-dissipating upper interior trim Collapsible steering column	•
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams Impact-dissipating upper interior trim Collapsible steering column Collapsible brake pedal	•
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams Impact-dissipating upper interior trim Collapsible steering column	•
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams Impact-dissipating upper interior trim Collapsible steering column Collapsible brake pedal Safety Connect [29] [30] offers Automatic Collision	•
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams Impact-dissipating upper interior trim Collapsible steering column Collapsible brake pedal Safety Connect [29] [30] offers Automatic Collision Notification, Stolen Vehicle Location, an Emergency	•
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams Impact-dissipating upper interior trim Collapsible steering column Collapsible brake pedal Safety Connect [29] [30] offers Automatic Collision Notification, Stolen Vehicle Location, an Emergency Assistance Button (SOS) and Enhanced Roadside	•
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams Impact-dissipating upper interior trim Collapsible steering column Collapsible brake pedal Safety Connect [29] [30] offers Automatic Collision Notification, Stolen Vehicle Location, an Emergency Assistance Button (SOS) and Enhanced Roadside Assistance [31] connectivity. Subscription required. One-	•
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams Impact-dissipating upper interior trim Collapsible steering column Collapsible brake pedal Safety Connect [29] [30] offers Automatic Collision Notification, Stolen Vehicle Location, an Emergency Assistance Button (SOS) and Enhanced Roadside Assistance [31] connectivity. Subscription required. One- year trial subscription included	•
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams Impact-dissipating upper interior trim Collapsible steering column Collapsible brake pedal Safety Connect [29] [30] offers Automatic Collision Notification, Stolen Vehicle Location, an Emergency Assistance Button (SOS) and Enhanced Roadside Assistance [31] connectivity. Subscription required. One- year trial subscription included Vehicle theft-deterrent and engine immobilizer system	•
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams Impact-dissipating upper interior trim Collapsible steering column Collapsible brake pedal Safety Connect [29] [30] offers Automatic Collision Notification, Stolen Vehicle Location, an Emergency Assistance Button (SOS) and Enhanced Roadside Assistance [31] connectivity. Subscription required. One- year trial subscription included Vehicle theft-deterrent and engine immobilizer system [20], with in-key transponder	
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams Impact-dissipating upper interior trim Collapsible steering column Collapsible brake pedal Safety Connect [29] [30] offers Automatic Collision Notification, Stolen Vehicle Location, an Emergency Assistance Button (SOS) and Enhanced Roadside Assistance [31] connectivity. Subscription required. One- year trial subscription included Vehicle theft-deterrent and engine immobilizer system [20], with in-key transponder Auto-retracting tonneau cover	
outboard seating positions Highly rigid body structure with front and rear crumple zones Reinforcemants in pillars and door sills Side-impact door beams Impact-dissipating upper interior trim Collapsible steering column Collapsible brake pedal Safety Connect [29] [30] offers Automatic Collision Notification, Stolen Vehicle Location, an Emergency Assistance Button (SOS) and Enhanced Roadside Assistance [31] connectivity. Subscription required. One- year trial subscription included Vehicle theft-deterrent and engine immobilizer system [20], with in-key transponder Auto-retracting tonneau cover First aid kit	

Disclaimers

[1] The Navigation System is designed to assist in locating an address or point of interest. XM \mathbb{R} Radio, XM NavTraffic \mathbb{R} , XM NavWeather \mathbb{M} Sports and Stocks require a monthly service fee and hardware. XM NavTraffic is designed to provide real-time traffic or alternative routes of travel; XM NavWeather is designed to provide real-time weather and forecasting information in your general vicinity and along your route of travel. Discrepancies may be encountered between the system and your actual location. Road system and weather changes may affect the accuracy of the information provided. Rely on your common sense to decide whether to follow a specified route. Detailed coverage not available in every city or roadway. Periodic Navigation updates available at an additional cost. Please see your Navigation System Owner's Manual for further details.

 $\cite{Align: Condition of the property of th$

(continued on page 6)

^{*} Dealer price may vary. Please ask your local Lexus dealer for pricing information.



Disclaimers

(continued)

- [3] The backup camera does not provide a comprehensive view of the rear area of the vehicle. You should also look around outside your vehicle and use your mirrors to confirm rearward clearance. Cold weather may limit effectiveness and view may become cloudy.
- [4] Bluetooth® technology phones listed on lexus.com have been tested for compatibility with Lexus vehicles. Performance will vary based on phone software version, coverage and your wireless carrier. Phones are warranted by their manufacturer, not Lexus.
- [5] Availability and accuracy of the information provided by the Navigation System or any Sirius XM services mentioned (if installed) are dependent upon many factors. Use common sense when relying on information provided. Services not available in every city or roadway. Periodic Navigation updates available at additional cost. Please see your Navigation System Owners Manual or contact Sirius XM for details.
- [6] XM services require a subscription after trial period. Subscriptions governed by XM Customer Agreement available at xmradio.com. If you decide to continue your XM service at the end of your complimentary trial, the plan you choose will automatically renew and bill at then-current rates unless you call 1-800-967-2346 to cancel. Fees and programming subject to change. Available only to those at least 18 years of age in the 48 contiquous United States and D.C.
- [7] Lexus Enform® is available. Contact with the Lexus Enform® response center is dependent upon the telematics device being in operative condition, cellular connection availability, navigation map data and GPS satellite signal reception, which can limit the ability to reach the response center or receive emergency support. Enrollment and Telematics Subscription Service Agreement required. A variety of subscription terms is available; charges vary by subscription term selected.
- [8] Lexus Enform® premium services Destination Assist and eDestination will function in the contiguous United States. These services may also function in Hawaii and limited areas of Alaska for vehicles that contain map data for those states. They will not function in Canada or in other countries outside the United States.
- [9] Roof rack with cross bars is not recommended for luggage.
- [10] Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on the total weight of any cargo, occupants and available equipment.
- [11] Please consult your Lexus dealer or Owner's Manual for towing and load specifications.
- [12] Ratings achieved using the required premium unleaded gasoline with an octane rating of 91 or higher. If premium fuel is not used, performance will decrease.
- [13] Performance figures are for comparison only and were obtained with prototype vehicles by professional drivers using special safety equipment and procedures. Do not attempt.
- [14] EPA MPG Estimates. Actual mileage will vary.
- [15] The RX 450h is not designed to be driven off-road.
- [16] Brake Assist is designed to help the driver take full advantage of the benefits of ABS. It is not a substitute for safe driving practices. Braking effectiveness also depends on proper brake-system maintenance and tire and road conditions.
- [17] 18-in performance tires are expected to experience greater tire wear than conventional tires. Tire life may substantially be less than 15,000 miles, depending upon driving conditions.
- [18] Cargo and load capacity limited by weight and distribution.
- [19] The SmartAccess system may interfere with some pacemakers or cardiac defibrillators. If you have one of these medical devices, please talk to your doctor to see if you should deactivate this system.
- [20] The engine immobilizer is a state-of-the-art anti-theft system. When you insert your key into the ignition switch or bring a SmartAccess fob into the vehicle, the key transmits an electronic code to the vehicle. The engine will only start if the code in the transponder chip inside the key or SmartAccess fob matches the code in the vehicle's immobilizer. Because the transponder chip is embedded in the key or SmartAccess fob, it can be costly to replace. If you lose a key or SmartAccess fob, your Lexus dealer can help. Alternatively, you can find a qualified independent locksmith to perform high-security key services by consulting your local Yellow Pages or by contacting www.aloa.org.
- [21] The Lexus Personalized Settings (LPS) can be programmed in two ways: For most models equipped with the available Navigation System, the driver can modify the settings themselves; for other models, including those without a Navigation System, programming is done by your Lexus dealer via a one-time, complimentary offer during the first 12 months from the date the vehicle is sold. Please see your Lexus dealer for more information.
- [22] iPod® is a registered trademark of Apple Inc. All rights reserved.
- [23] Bluetooth® audio device must be enabled with A2DP and AVRCP.

(continued on page 7)



Disclaimers

(continued)

[24] Vehicle Stability Control (VSC) and Vehicle Dynamics Integrated Management (VDIM) are electronic systems designed to help the driver maintain control under adverse conditions. They are not substitutes for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether VSC and VDIM will be effective in preventing a loss of control. Please see your Owner's Manual for further details.

[25] Smart Stop Technology operates only in the event of certain simultaneous brake and gas pedal applications. When engaged, the system will reduce engine power to help the brakes bring the vehicle to a stop. Factors including speed, road conditions and driver input can all impact stopping distance. Smart Stop Technology is not a substitute for safe and attentive driving and does not guarantee instant stopping. Please see your Owner's Manual for further details.

[26] The Tire Pressure Monitor System alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge; do not rely solely on the monitor system. Please see your Owner's Manual for details.

[27] All the airbag (AB) systems are Supplemental Restraint Systems. All ABs (if installed) are designed to inflate only under certain conditions and in certain types of severe collisions: frontal and knee ABs typically inflate in frontal collisions; side and side curtain ABs in side collisions; Roll-Sensing Curtain ABs at a severe tilt degree, roll or lateral G-force. In all other accidents, the ABs will not inflate. To decrease the risk of injury from an inflating AB, always wear seatbelts, sit upright in the middle of the seat as far back as possible and do not lean against the door. Do not put objects in front of an AB or around the seatback. Do not use a rearward-facing child seat in any front passenger seat. The force of an inflating AB may cause serious injury or death. Please see your Owner's Manual for further information/warnings.

[28] Active headrests can help reduce the extent of whiplash in certain types of rear-end collisions.

[29] Safety Connect[™] is available. Contact with the Safety Connect[™] response center is dependent upon the telematics device being in operative condition, cellular connection availability, navigation map data and GPS satellite signal reception, which can limit the ability to reach the response center or receive emergency support. Enrollment and Telematics Subscription Service Agreement required. One-year trial subscription available only with new vehicle purchase of Safety Connect-equipped vehicles. Additional subscription terms available; charges vary by subscription term.

[30] The Safety ConnectTM services Automatic Collision Notification, Emergency Assistance and Stolen Vehicle Location will function in the United States, including Hawaii and Alaska, and in Canada. Enhanced Roadside Assistance will function in the United States (except for Hawaii) and in Canada. No Safety Connect services will function outside of the United States in countries other than Canada.

[31] Coverage only available in the continental U.S. and Canada. Please see your Lexus dealer for details.

Local Dealers

Peterson Lexus 9055 W Fairview Avenue Boise, ID 83704 http://www.petersonlexus.com